

CONTINENTAL
GIRBAU®



GS023

GS030

GS045

GS060

GS070

GS080


GS Series Washers

GS Series High-Performance Washer-Extractors for On-Premise Laundries

GS Series Washers

GS Series Washers featuring the Genius Control offer superior programmability and productivity to meet the needs of virtually any commercial or on-premise laundry. GS Series Washers offer commercial durability for years of constant use; unrivaled Bluetooth and IoT (internet of things) connectivity for quick programming, simplified laundry management and remote software updates; faster acceleration for remarkable productivity and industry-best efficiency; as well as advanced ergonomics, including a large door opening and extra-large, water-resistance user interface.

Innovative Technology



Genius Control

Programmability: Best-in-class programmability delivers exceptional control over every aspect of a wash cycle, including rotation action, G-force, water temperature and levels, number of baths and rinses, overnight soaks, and automatic chemical injection.

Flexible Programming: The Genius Control is highly programmable — every preset cycle setting is modifiable by variables including number of baths and rinses, water temperature and level, rotation action, time, extract speed and more.

Largest User Interface in the Industry: The 10-inch touchscreen is the industry's largest. Scratch, water and impact resistant, it's simple to use, even while wearing gloves. Operators simply select a program number and press start. The touchscreen also doubles as an on-screen messaging platform. It allows owners to use their own graphics, logos and messaging for operational and safety reminders, or preventative maintenance instructions.



Out-of-the Box Compatibility

Unlike many washers on the market, the GS Series is highly flexible and comes with out-of-the-box compatibility with disinfecting ozone systems, commercial chemistry and automatic pump delivery systems. It comes standard with 12-automatic chemical injection signals, with the option for 24.

360° Vision Light

A 360° light on the top corner of every washer illuminates in different colors to indicate the status of the machine and load inside — green: machine available; steady blue: in-cycle; flashing blue: 2 minutes to end; flashing orange: unloading required; red: machine alarm. It's visible from anywhere in the laundry room so operators are always aware of cycle status.



IoT, WIFI & Bluetooth Ready

Internet of Things (IOT) ready with a communication board located at the top right of machine. Programming and firmware downloads/updates are quick and easy.

450 G-Force Extract – Performance Drives Efficiency

Thanks to extract speeds up to 450 G-force and a quicker ramp-up to programmed G-force, the GS line can cut wash and extract times by 5-7 minutes, respectively, over other Continental high-speed washers. The GS Series allows laundries to maximize labor production through an industry-best 2 minute acceleration ramp-up to max G-force, even when a load is up to 15 percent out-of-balance. Plus, 450 G-force extract speeds shorten wash and dry cycles for more laundry processed per day. This super-high extract removes significantly more moisture from each load, when compared with lower G-force machines. With less residual moisture upon completion of the wash cycle, laundry dries in less time — improving laundry production, while decreasing natural gas and electricity usage.



Unique Design

Constructed for Longevity

Bigger, stronger chassis hardware improves machine longevity and delivers superior balance control for reaching target extract speeds faster; durable water valves prevent corrosion for improved longevity and decreased maintenance and costs; a rust-proof stainless steel cabinet is easy to clean and maintain; and an inverter-driven motor brings more control over cycle parameters, greater security with up to 20 alarms, and drastically reduced energy consumption. Genius Washers are backed by a 5/3-year factory warranty.

Fail-Safe Door Lock

A redesigned, precise-control locking/switch mechanism is accessible in less than 3 minutes.




Wide Door Opening

An ergonomic and large door opening simplifies loading and unloading. A redesigned door gasket helps eliminate leaking and reduce necessary replacements.

Mountain Valley Drum Design

A new basket dimpling design helps prevent tangling and eliminates the need for an additional untangling cycle.




Weighing System

A weighing system, connected to the control, provides automatic weighing of every load. This improves laundry productivity, optimizes cycle time and lowers water and chemical usage.

Simple Installation

Genius Washers offer a freestanding, soft-mount design that remedies the need for bolt-down or thick, reinforced concrete foundations.



This eliminates the performance problems associated with hard-mount machines, makes them simple to install in unconventional locations and lowers installation costs.

Sapphire Management System

Genius Series Washers are equipped with Sapphire, a cloud-based management system that allows users to completely monitor, manage and configure a laundry. Using Sapphire is simple and straightforward and your data is stored and processed in the cloud.

- View production and activity reports that show the amount of laundry washed and dried over time; spot inefficient operations and take steps to fix them.
- Quickly check machine alarms and down-time history.

Disinfection Monitoring Package

The Disinfection Monitoring Package (DMP), included with Sapphire, allows laundries to quickly verify that all cycles have complied with pre-established disinfection parameters. The DMP shows, in real-time, the evolution of machine wash cycles with details of temperature, water levels and cycle phases.

Service Monitoring Package

The Service Monitoring Package ensures that service alarms alert assigned staff and support personnel of issues in real-time for added peace of mind.

Continental Girbau

Continental Girbau® is a brand of Girbau North America (GNA), an industry-leading provider of comprehensive laundry solutions and support services for the vended, commercial, industrial, guest amenity and textile care markets. GNA delivers quality laundry products in concert with local distributor expertise and business support services to clients throughout North America. At GNA, our proven, best-in-class equipment offering — including high-performance, open-pocket washers and dryers, continuous batch tunnel washing systems, feeders, ironers, folders and conveyor systems — are built for longevity, superior efficiency and unrivaled flexibility. At GNA, we are committed to sustainability, adapting to customer needs and providing strategic laundry solutions that deliver success.

Product Specifications	GS023	GS030	GS045	GS060	GS070	GS080
Capacity <i>lbs</i>	23	30	45	60	70	80
Cylinder Diameter <i>inch</i>	21.1	24.4	27.6	30.1	30.1	32.5
Cylinder Depth <i>inch</i>	15	16.4	18.1	20.5	23.5	23.5
Cylinder Volume <i>cu ft</i>	3	4.4	6.2	8.4	9.7	11.3
Net Weight <i>lbs</i>	377	697	906	1299	1381	1477
Crated Weight <i>lbs</i>	413	745	957	1380	1464	1559
Machine Dimensions <i>inch</i> WxDxH	27x31.6x46.3	31.3x36.8x52.4	34.3x38.4x56.4	38.4x45.7x57.9	38.4x49x57.9	40.8x49.2x58.2
Door Opening <i>inch</i>	14.8	14.8	18.5	18.5	18.5	18.5
Floor to Door <i>inch</i>	15.5	19.9	20.5	21.8	21.8	22.1
Shipping Dimensions <i>inch</i> WxDxH	28.3x34.3x52.2	33.9x38.6x58.3	36.3x40x63.1	41.9x52.1x65.4	41.9x52.1x65.4	41.9x52.1x65.4
Washing Speed <i>rpm</i>	52	48	45	43	43	42
Spin Speed <i>rpm</i>	1154	1138	1071	1025	1025	987
G-force	400	450	450	450	450	450
Static Force Transmitted <i>lbs</i>	472	835	1100	1563	1684	1828
Dynamic Force Transmitted <i>lbs</i>	141	254	262	410	419	463
Frequency of Dynamic Force <i>Hz</i>	19.3	17.9	16.9	16.1	16.1	15.5
Drain Diameter <i>inch</i>	3	3	3	3	3	3
Water Inlets <i>inch</i>	3/4	3/4	3/4	3/4	3/4	3/4
Recommended Water Pressure <i>PSI</i>	29-87	29-87	29-87	29-87	29-87	29-87
Water Flow <i>gal/min</i>	16	16	34	34	34	34
Total Power <i>kW</i>						
Hot Water w/gravity drain 120V	4.0	—	—	—	—	—
Hot Water w/pump 120V	5.1	—	—	—	—	—
Hot Water / Steam 208-240V 1Ph	—	4.8	6.6	9.1	9.1	12.6
Hot Water / Steam 208-240V 3Ph	—	—	—	4.2	4.5	5.6
Hot Water / Steam 440-480V 3Ph	—	—	—	2.0	2.1	2.6
Electric Heat 208-240V 3Ph	—	30.5	36.1	48.9	48.9	49.3
Electric Heat 440-480V 3Ph	—	—	—	24.4	24.5	24.6

* Product specifications and details are subject to change without notice. For the most current and complete technical specifications, architectural line drawings and warranty information, please visit continentalgirbau.com.



continentalgirbau.com • info@continentalgirbau.com
800-256-1073

